


Douille à aiguilles BAM228-IKO - BAM228-IKO

<https://www.123roulement.com/roulement-palier/roulement-aiguilles/douille/bam228-iko>

IKO
SHELL TYPE NEEDLE ROLLER BEARINGS
Inch Series



| Shaft dia. mm (inch) | Identification number | | | | | | | | |
|----------------------------|-----------------------|---------------------|------------|---------------------|----------|---------------------|----------------|---------------------|--|
| | Standard | Mass (Ref.) g | Closed end | Mass (Ref.) g | Standard | Mass (Ref.) g | Closed end | Mass (Ref.) g | Grease retained Mass (Ref.) g |
| 34.925 (1 3/8) | — | — | — | — | — | — | BAM 228 | 29 | — |

| Boundary dimensions | | | Standard mounting dimensions | | | | Basic dynam. | Basic static | Allowable | Assembled | |
|---------------------|--------|--------|------------------------------|------------------|-------------------------|------------------|----------------------|------------------------------------|------------|-----------|---------|
| F_w | D | C | f_1 | Shaft dia. mm | Housing bore dia. mm | Load rating C | Load rating C_0 | rotational speed ^(*) | inner ring | | |
| Max. | Max. | Min. | Max. | Max. | Min. | N | N | rpm | | | |
| 34.925 | 41.275 | 12.700 | 2.8 | 34.925 | 34.909 | 41.289 | 41.264 | 9 770 | 16 600 | 10 000 | IRB 188 |

Note^(*) Allowable rotational speed applies to oil lubrication. For grease lubrication, a maximum of 60% of this value is allowable.
Remark Shell Type Grease Retained Full Complement Needle Roller Bearings are provided with prepacked grease. Standard type and closed end type bearings are not provided with prepacked grease, so perform proper lubrication when using these types of bearings.

CARACTÉRISTIQUES PRODUIT

| | |
|-----------------|---------------|
| Marque | IKO |
| N° Ean13 | 3663952363035 |
| Diam. intérieur | 34.925 mm |
| Diam. extérieur | 41.275 mm |
| Épaisseur | 12.7 mm |
| Conditionnement | 1 |

contact@123roulement.com

03 59 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE