

## Accessoire de palier 7611-DL-NICE - 7611-DL-NICE

<https://www.123roulement.com/roulement-palier/paliers/accessoires/7611-dl-nice>

**7600 Series™ Heavy Duty Precision Ground Radial Bearings With Extended Inner Ring NICE®**

- PRECISION ENGINEERED FOR ALL CONTACT SURFACES THROUGH TO THE END BEARING
- EASY TO USE INCH DIMENSIONS
- MEDIUM LOAD
- MAX SPEED RANGE: 5000-8000 RPM
- TIMOTHY HARDENED
- STEEL BEARING
- STYLISH CASE STANDARD
- SHOULD BE OILED
- EXCELLENT APPROPRIATE SINGLE LIP CONTACT
- AVAILABLE SINGLE BEARING OR OPEN
- EXTENDED INNER RING WITH SET SCREWS
- ALL BEARINGS HAVE A SHIP FUL CRATE. THIS WILL BE AVAILABLE AS AN OPTION.
- INDICATED FOR APPLICATIONS WHERE EXCESSIVE VIBRATION AND SHOCK ARE REQUIRED.

BEARING Ø	PRINCIPLE DIMENSIONS					
	BORE d (in) (mm)	O.D. D (in) (mm)	WIDTH B (in) (mm)	A (in) (mm)	F (in) (mm)	G (in) (mm)
7611™	.8675 17.46	1.7900 44.95	0.8250 16.88	0.0625 1.59	1.009 25.63	0.138 3.49

PRINCIPLE DIMENSIONS						BASIC LOAD RATINGS		WEIGHT	
H (in) (mm)	J (in) (mm)	K (in) (mm)	L (in) (mm)	M (in) (mm)	N 2 set screws (in) (mm)	Radius R (in) (mm)	Dynamic C <sub>d</sub> (lb) (N)	Static C <sub>s</sub> (lb) (N)	W (lb) (kg)
0.042 1.07	1.922 48.82	1.062 27.74	0.405 10.29	0.233 5.92	10-32	0.036 0.89	2196 11548	1025 4581	0.30 0.14

① When ordering please indicate designation and style letters of bearing desired (i.e. DL or DLG)      ② Radius R indicates the maximum fillet radius in housing or shaft which bearing will clear  
 ③ Tolerance for 7613™ and larger is +.0000-.0006 (+.0000-.015)      ④ Weights given are for greased and sealed versions  
 All bearing designations listed herein are trademarks of RBC NICE® Bearings.

## CARACTÉRISTIQUES PRODUIT

Marque	NICE
N° Ean13	3616060473424
Diam. intérieur	17.46 mm
Diam. intérieur	11/16" inch
Diam. extérieur	25.63 mm
Diam. extérieur	1.009" inch
Epaisseur	15.88 mm
Epaisseur	5/8" inch
Poids	140 g
Conditionnement	1

[contact@123roulement.com](mailto:contact@123roulement.com)

03 59 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE